

DRAFT UGANDA STANDARD

First Edition
2019-mm-dd

Lipstick — Specification

PUBLIC REVIEW DRAFT

Reference number
DUS DEAS 965: 2019

Compliance with this standard does not, of itself confer immunity from legal obligations

A Uganda Standard does not purport to include all necessary provisions of a contract. Users are responsible for its correct application

© UNBS 2019

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilised in any form or by any means, electronic or mechanical, including photocopying and microfilm, without prior written permission from UNBS.

Requests for permission to reproduce this document should be addressed to

The Executive Director
Uganda National Bureau of Standards
P.O. Box 6329
Kampala
Uganda
Tel: +256 417 333 250/1/2
Fax: +256 414 286 123
E-mail: info@unbs.go.ug
Web: www.unbs.go.ug

National foreword

Uganda National Bureau of Standards (UNBS) is a parastatal under the Ministry of Trade, Industry and Cooperatives established under Cap 327, of the Laws of Uganda, as amended. UNBS is mandated to co-ordinate the elaboration of standards and is

- (a) a member of International Organisation for Standardisation (ISO) and
- (b) a contact point for the WHO/FAO Codex Alimentarius Commission on Food Standards, and
- (c) the National Enquiry Point on TBT Agreement of the World Trade Organisation (WTO).

The work of preparing Uganda Standards is carried out through Technical Committees. A Technical Committee is established to deliberate on standards in a given field or area and consists of representatives of consumers, traders, academicians, manufacturers, government and other stakeholders.

Draft Uganda Standards adopted by the Technical Committee are widely circulated to stakeholders and the general public for comments. The committee reviews the comments before recommending the draft standards for approval and declaration as Uganda Standards by the National Standards Council.

This Draft Uganda Standard, DUS DEAS 965: 2019, *Lipstick — Specification*, is identical with and has been reproduced from an International Standard, DEAS 965: 2019, *Lipstick — Specification*, and is being proposed for adoption as a Uganda Standard.

The committee responsible for this document is Technical Committee UNBS/TC 5, *Chemicals and environment*, Subcommittee SC 1, *Industrial and public health chemicals*.

Wherever the words, "East African Standard " appear, they should be replaced by "Uganda Standard."



DRAFT EAST AFRICAN STANDARD

Lipstick — Specification

EAST AFRICAN COMMUNITY

Copyright notice

This EAC document is copyright-protected by EAC. While the reproduction of this document by participants in the EAC standards development process is permitted without prior permission from EAC, neither this document nor any extract from it may be reproduced, stored or transmitted in any form for any other purpose without prior written permission from EAC.

Requests for permission to reproduce this document for the purpose of selling it should be addressed as shown below or to EAC's member body in the country of the requester:

© East African Community 2019 — All rights reserved
East African Community
P.O. Box 1096,
Arusha
Tanzania
Tel: + 255 27 2162100
Fax: + 255 27 2162190
E-mail: eac@eachq.org
Web: www.eac-quality.net

Reproduction for sales purposes may be subject to royalty payments or a licensing agreement. Violators may be prosecuted.

Foreword

Development of the East African Standards has been necessitated by the need for harmonizing requirements governing quality of products and services in the East African Community. It is envisaged that through harmonized standardization, trade barriers that are encountered when goods and services are exchanged within the Community will be removed.

The Community has established an East African Standards Committee (EASC) mandated to develop and issue East African Standards (EAS). The Committee is composed of representatives of the National Standards Bodies in Partner States, together with the representatives from the public and private sector organizations in the community.

East African Standards are developed through Technical Committees that are representative of key stakeholders including government, academia, consumer groups, private sector and other interested parties. Draft East African Standards are circulated to stakeholders through the National Standards Bodies in the Partner States. The comments received are discussed and incorporated before finalization of standards, in accordance with the Principles and procedures for development of East African Standards. XXXXXX.

East African Standards are subject to review, to keep pace with technological advances. Users of the East African Standards are therefore expected to ensure that they always have the latest versions of the standards they are implementing.

The committee responsible for this document is Technical Committee EASC/TC 071, *Cosmetics and related products*.

Attention is drawn to the possibility that some of the elements of this document may be subject of patent rights. EAC shall not be held responsible for identifying any or all such patent rights.

Lipstick — Specification

1 Scope

This Draft East African Standard specifies the requirements, sampling and methods of test for lipstick.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EAS 847-16, *Oils for cosmetic industry — Methods of test — Part 16: Determination of Heavy metal Content*

EAS 847-18, *Cosmetics — Analytical methods — Part 18: Determination of thermal stability*

EAS 346, *Labelling of cosmetics — General requirements*

EAS 377 (all parts), *Cosmetics and cosmetic products*

ISO 21149, *Cosmetics -- Microbiology -- Enumeration and detection of aerobic mesophilic bacteria*

ISO 22716, *Cosmetics — Good Manufacturing Practices (GMP) — Guidelines on Good Manufacturing Practices*

ISO 24153, *Random sampling and randomisation procedures*

ISO 3960, *Animal and vegetable fats and oils — Determination of peroxide value — Iodometric (visual) endpoint determination*

3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

— ISO Online browsing platform: available at <http://www.iso.org/obp>.

3.1

Lipstick

cosmetic product containing pigments, oils, waxes, and emollients that apply color and texture to the lips

4 General requirements

4.1 The lipstick shall be firm but not brittle in texture. It shall not cause irritation to the lips. It shall be reasonably free from sweating, bloom and rancidity.

4.2 All ingredients used including dyes, pigment and colours shall conform to EAS 377(all Parts) Cosmetics and cosmetic products

4.3 The product shall be produced, prepared and handled in accordance with ISO 22716.

5 Specific requirements

The lipstick shall also comply with the requirements specified in Table1.

Table 1 — Specific requirements for lipstick

Characteristic	Requirement	Method of test
Softening point, °C, min.	55	Annex A
Melting point, °C	55-65	EAS 847-6
Thermal Stability	To pass test	EAS 847-18
Microbiological examination	Not more than 1000 micro-organisms per gram	ISO 21149
Peroxide value, max.	10	ISO 3960
Breaking load value, min.	200	Annex B
Particle size of undispersed pigments microns, max	40	Annex C
Note- The total amount of heavy metals as lead, mercury and arsenic, in combination in the finished product shall not exceed 10 mg/kg.		

6 Heavy metal requirements

Lip balm shall comply with the heavy metal requirements given in Table 2 when tested in accordance with the test methods specified therein.

Table 2 — Heavy metal requirements for lipstick

Heavy metal	Limit	Method of test
Arsenic (As ₂ O ₃) mg/l, max.	2	EAS 847-16
Mercury (Hg) mg/l, max	2	EAS 847-16
Heavy metals (Pb) mg/l, max.	10	EAS 847-16
Note- The total amount of heavy metals as lead, mercury and arsenic, in combination in the finished product shall not exceed 10 mg/kg		

7 Packaging

Each lipstick shall be packed in suitable containers which shall not interact chemically with the lipstick and shall be strong enough to prevent contamination of lipstick adequately during normal handling, transportation and storage.

8 Labelling

In addition to the labelling requirements in EAS 346, the package shall be legibly and indelibly marked with the following information:

- a) manufacturer's name and physical address;

- b) product name "lipstick";
- c) batch number;
- d) list of ingredients;
- e) Shade number or shade name;
- f) country of origin;
- g) month and year of manufacture and expiry, and
- h) recommended storage conditions

9 Sampling

Sampling shall be carried in accordance with ISO 24153.

Annex A (normative)

Softening point

A.1 Apparatus

A.1.1 Flat bottom tube, 12 cm long and 2.5 cm in diameter

A.1.2 Thermometer, accurate to 0.1 °C

A.2 Procedure

A.2.1 Place the lipstick with protruded salve in the flat bottom tube.

A.2.2 Fix the thermometer through a cork in such a way that the bulb of the thermometer just touches the lipstick salve.

A.2.3 Insert this arrangement into a 1-litre beaker filled with water to a level one centimetre above the upper tip of the lipstick salve.

A.2.4 Slowly heat the water while stirring so that temperature rises at a rate not exceeding 2 °C per min.

A.2.5 When the temperature reaches about 45 °C, raise the temperature at the rate of 1 °C per min constantly watch the lipstick salve. Record the temperature when the salve starts bending and losing its shape.

Annex B (normative)

Breaking load test

B.1 General

This test gives the value of maximum load a lipstick can withstand before" it breaks.

B.2 Apparatus

B.2.1 Burette, 500 mL capacity

B.2.2 Screw chuck, to hold the lipstick

B.2.3 Aluminium cup, of 6 cm diameter and 12 cm length with an arrangement of a hook to suspend it on lipstick salve

B.3 Procedure

B.3.1 Fix firmly the lipstick container with protruded salve of diameter ranging 11 mm to 13 mm, into a screw type of chuck so that the assembly is perfectly horizontal.

B.3.2 Adjust the burette just above the lipstick salve. Make a marking at a distance of 1.5 cm from the base of the salve where the lipstick salve sits in salve holder cup.

B.3.3 Weigh the aluminium container along with hook and suspend it on this 1.5 cm mark slowly release water from the burette into the aluminium container till the salve breaks. Burette reading added with the mass of the suspended container gives the breaking load of the lipstick.

Annex C (normative)

Particle size of undispersed pigments

1 Apparatus

C.1.1 Microscope

C.1.2 Glass slides

C.2 Procedure

C.2.1 Apply a small portion of the lipstick paste on glass slide. Press and spread it with the help of another glass slide. Separate both the glass slides.

C.2.2 Observe one of the slides under microscope using a specially calibrated eyepiece. Determine the particle size of the largest pigment particle.

Bibliography

- [1] ASTM D1321 – 10, Standard Test Method for Needle Penetration of Petroleum Waxes
- [2] US 875:2009, *Lipstick — Specification*

DRAFT EAST AFRICAN STANDARD

DRAFT EAST AFRICAN STANDARD