Government

of Canada

•

j»;





Vol. 142, No. 7 — February 16, 2008

Gouvernement

#### **Regulations Amending the Consumer Chemicals and Containers Regulations, 2001**

Statutory authority

Hazardous Products Act

Sponsoring department

**Department of Health** 

#### **REGULATORY IMPACT** ANALYSIS STATEMENT

(This statement is not part of the Regulations.)

#### **Description**

The Consumer Chemicals and Containers Regulations, 2001 (CCCR, 2001) were published in the Canada Gazette, Part II, on August 15, 2001. These Regulations established classification criteria, labelling and packaging requirements for chemical products used by consumers. The classification criteria are based on a scientific assessment of the hazards that a product may pose during reasonably foreseeable use. The labelling requirements take the form of hazard symbols, bilingual warning statements and a description of first-aid treatments. The labelling and packaging requirements are determined from the product

#### classification.

These proposed amendments are composed of ten technical updates which will clarify certain regulatory requirements, correct editorial errors and ensure that the original intent of the Regulations is maintained. Also included are updates to the CCCR, 2001 that address concerns raised by the Standing Joint Committee for the Scrutiny of Regulations (SJCSR), including correcting inconsistencies between the English and French versions of the Regulations and clarifying terminology in the Regulations; these are not discussed in Appendix A.

The technical updates, each of which are discussed in Appendix A of this statement, are

• LC<sub>50</sub> criteria for gases and vapours—change in units of

measurement,

- Hydrocyanic acid or its salts—correcting the English version of the table to subsection 34(1) to reflect the French version,
- Fuel containers—clarification of exception,
- Very flammable fuels—removal of improper reference,
- Spray containers that have a flashback—clarification of

exception,

- Toxic product labelling—update of first-aid information,
- Corrosive product labelling—update of safety information,
- Referenced standards-update of outdated standards,
- Toxic substances of special concern—clarification of requirements, and
- Flame projection test—simplification of test method.

The proposed updates to the CCCR, 2001 will facilitate compliance and enforcement, as the existing requirements will be detailed in a more precise manner. This will allow industry to better understand and comply with the Regulations.

Wherever possible, the CCCR, 2001 has been designed to harmonize with other classification, labelling and packaging systems within Canada and worldwide. It is the intention of Health Canada that the CCCR, 2001 will accord with the Globally Harmonized System of Classification and Labelling of Chemicals (GHS) that is now in development in international fora. The GHS is being developed by the United Nations and industrialized countries to standardize the labelling of chemicals and will be implemented once the economic impacts are completed.

#### Alternatives

Status quo

The status quo for the CCCR, 2001 is not an acceptable option, as the Regulations require amendments to update referenced standards, correct language inconsistencies and clarify terminology. Without these changes, some affected stakeholders may not fully comply with the requirements, which could result in unnecessary enforcement actions leading to potential economic hardship.

Adoption of the proposed amendments

The adoption of these proposed amendments will help the requirements of the CCCR, 2001 better reflect their original intent. The amendments also carry a number of benefits to both Canadian industry and public, discussed in the following section. The proposed amendments will not alter the original intent and manner in which Health Canada administers and enforces the CCCR, 2001.

#### **Benefits and costs**

The proposed amendments clarify certain parts of the Regulations, thus helping industry to better understand

and comply with what was agreed to by stakeholders during the original consultations. It is anticipated that some of these changes will lessen the burden of compliance on industry by requiring less time and effort, and by allowing more flexibility in the selection of appropriate labelling.

Additional benefits include the following:

- flame projection test method changes benefit industry members by simplifying the test method and reducing the amount of work required;
- toxic product labelling changes benefit the general public by now reflecting up-to-date medical advice; and
- fuel container labelling changes will lessen the burden on industry by removing the necessity to label products that are exempt from the CCCR, 2001.

No additional costs to industry are anticipated, as these amendments are technical in nature and will clarify requirements which have always been part of the CCCR, 2001. The benefits of these amendments include a clearer understanding of the CCCR, 2001 by industry and, consequently, the potential for fewer non-compliant products. Ultimately, the consumer benefits by having the proper information to help avoid unintentional injuries and deaths.

There are no anticipated costs to government or the public.

#### Consultation

The consultation process for this amendment consisted of the following.

A notice was posted on Health Canada's Web site and a letter was sent out to all known stakeholders in October 2004 outlining all aspects of the proposed amendments. Only one comment was received and the issues were addressed directly with the concerned stakeholder.

An updated version of the Web notice has been posted on the Health Canada Web site as of January 3, 2007 : www.hc-sc.gc.ca/cps-spc/legislation/actslois/techni\_e.html.

Furthermore, a second notification letter was sent to all interested stakeholders outlining the proposed regulatory amendments and information on where to find the Web notice. Interested stakeholders were given approximately two months (March 18 to May 25, 2007) to respond to the proposed amendments before the regulatory submission was prepared for pre-publication in the *Canada Gazette*, Part I. This second consultation effort resulted in

- the amendments being generally well received by stakeholders; and
- groups of automotive aerosol product manufacturers giving their comments with regards to the clarification of "Very Flammable" product exceptions under section 53.

The automotive aerosol industry concerns stem from a misinterpretation of the CCCR, 2001 and have been discussed at length with many in this industry, as well as their representative associations. This misinterpretation came from an exemption provided in the CCCR, 2001 under item 2 of the table to section 53 for "A product that exhibits a flashback." Such products that exhibit only a flashback are classified under item 7(c) the table to subsection 49(1) as "Very Flammable" and are permitted for sale under this exemption; all other "Very Flammable" products are prohibited from sale, advertising and importation in Canada.

Confusion arises when a product is classified as "Very Flammable" through other means, such as item 7(a) of the table to subsection 49(1), and also exhibits a flashback.

Some industry members believed that these products should also benefit from the exemption offered by section 53; however, this is not the intention of the CCCR, 2001, as these products are extremely hazardous and were never meant to be exempt. The amendment entitled "Spray Containers that Have a Flashback" in Appendix A clarifies the language in section 53 to avoid future confusion in this area.

#### **Compliance and enforcement**

The proposed amendments will not have an impact on the current approach taken by Health Canada when enforcing the CCCR, 2001. Enforcement will continue to be based on existing inspection and enforcement policies established by the Consumer Product Safety Bureau.

#### **Contact**

James Hardy Project Officer, Chemistry and Flammability Division Consumer Product Safety Bureau Healthy Environments and Consumer Safety Branch Department of Health MacDonald Building, 4th Floor 123 Slater Street Address Locator: 3504D Ottawa, Ontario K1A 0K9 Fax: 613-952-9138 Email: james\_hardy@hc-sc.gc.ca

#### **APPENDIX** A

**Description of 10 Proposed Technical Updates** 

#### LC $_{50}$ criteria for gases and vapours

The current units used in the classification of  $LC_{50}$  criteria for gases and vapours are inappropriate, since they do not

encompass everything intended. The units originally chosen allowed for harmonization within Canada, as they were based on similar criteria systems that specified parts per million by volume, which is equivalent to  $mL/m^3$ . However, human error during the drafting of the CCCR, 2001 caused the units to be expressed as  $mg/m^3$ , which was not the original intent of the criteria limits. The difference in units is related to the molecular weight of the substance relative to the molar volume of air. This means that higher molecular weighted gases and vapours, such as toluene and xylene, would be excluded from classification when they were intended to be captured, whereas those with a lower molecular weight, such as ammonia, would be inappropriately classified into a higher sub-category. It is for this reason that there are no other alternatives to using mL/m<sup>3</sup> as the units for LC<sub>50</sub> criteria. Amending this error will assist industry in properly characterizing chemicals according to the CCCR, 2001 and may reduce redundant toxicity evaluations.

#### Hydrocyanic acid or its salts

The current labelling of "hydrocyanic acid or a hydrocyanate salt" in item 5 of the table to subsection 34(1) is incorrect and should read "hydrocyanic acid or its salts." Currently only the French version of the item accurately reflects the requirements; the English item is not accurate, which can result in improperly categorized chemicals. This amendment will allow both English and French readers to be provided the same instructions for determining what substances are prohibited.

#### **Fuel containers**

The current exception for labelling on permanently attached fuel containers is not logical. At present, the exception applies to only fuels classified as "toxic," "harmful" and "very flammable," such as gasoline, whereas fuels only classified as "flammable" or "combustible," such as propane, ethanol or kerosene, require labelling. This leads to unnecessary labelling for these fuel types when in permanently attached fuel containers.

The amendment would exempt all permanently attached fuel tanks from the CCCR, 2001 requirements. It will lessen the burden on industry by removing the necessity to label products that do not require labelling.

#### Very flammable fuels

Fuels classified as "very flammable," such as gasoline, are not prohibited if they meet the requirements of section 53. However, the current wording allows "a fuel such as gasoline, ethanol or propane." The reference to ethanol and propane fuels is improper, since they are both "flammable" and not "very flammable." This inconsistency may lead to misinterpretation and inappropriate overlabelling of ethanol and propane fuels. The reference to ethanol and propane will be removed from section 53.

#### Spray containers that have a flashback

Spray containers that exhibit a flashback are not prohibited if they meet the requirements of section 53. However, this exception does not apply to products classified by other "very flammable" criteria, such as spray containers that have a flame projection of 100 cm or more, or that contain a liquid with a flash point of less than – 18°C. The criteria need to be reworded to clearly state the appropriate restrictions on "very flammable" products.

#### **Toxic product labelling**

The example provided in the instructions for administering first aid that appears in columns 3 and 4 of sub-item 7(b) of the table to subsection 39(1) is not appropriate in light of actual treatment practices. Traditionally, vomiting was recommended in the treatment of methyl alcohol poisoning. However, current practice does not recommended

inducing vomiting because methanol is absorbed so rapidly that there would be little opportunity to prevent absorption, and inducing vomiting may introduce the risk of aspirating the gastric contents.

Clearer wording for administering first aid will be given in section 39. As this instruction was an example and not a mandatory statement, correction of the instruction is a minor amendment.

#### **Corrosive product labelling**

Some consumer products may generate toxic materials during use or misuse. For example, bleaches containing significant levels of accessible chlorine generate toxic gases when mixed with acids or bases, such as toilet bowl cleaners. These toxic gases are not components of the bleaches, but are the result of a chemical reaction between the bleach and the acid or base. However, not all corrosive products pose a mixing hazard. The consensus towards labelling corrosive products that could pose a mixing hazard was that the warning statement be required when appropriate. This amendment will ensure that only products that pose a mixing hazard will require the appropriate warning.

#### **Referenced standards**

Standards that were referenced in the CCCR, 2001 have, over the course of several years, become out-dated, newer versions having been published. The table to subsection 1(2) was purposely established to facilitate easy updating of out-dated referenced standards. Health Canada committed to ensuring that the most up-to-date testing procedures would remain referenced in the CCCR, 2001, and this amendment will satisfy that commitment.

#### Toxic substances of special concern

The table to subsection 34(1) contains a list of substances

that pose specific hazards to human health, thus requiring special classification. At present, this table does not contain any information pertaining to the "route of exposure" through which these substances pose a hazard. This will be addressed by adding a new column to the table entitled "Route of exposure," which will permit manufacturers and importers to properly label their products for the dangers inherent in these chemical ingredients.

#### **Flame projection test**

Technical amendments are required to Schedule 1 "Test for Determining the Flashback and the Length of the Flame Projection of a Flammable Product Enclosed in a Spray Container." Industry will benefit from these amendments, since they simplify the test method and, in some cases, reduce the amount of work required.

- There is an inconsistency between the text and Figures 1 and 2 of the testing apparatus. The inconsistency will be corrected so that all values read 45 cm for the height of the internal open space (as indicated by the Figures). (section 2)
- The number of sprays required for pump-spray containers is excessive and time-consuming. For example, it is possible that a test container would need 1 200 sprays (not including priming and trial discharges to adjust the flame). As a result, it is conceivable that the product will be used up before the test is completed. Without compromising the integrity of the test results, the number of sprays per discharge from a pump-spray container can be reduced from 10 to 3, and the number of discharges can be reduced to that required for pressurized containers. This would reduce the total number of sprays from 1 200 to 108. (sections 3 and 4)
- The need to shake the container is unclear and causes the test to run for an extended period of time. When shaking is called for, the container should also be shaken between discharges. Hence it is not

necessary to wait 60 seconds between discharges before re-shaking the container. (sections 3 and 4)

• There is an inconsistency between the English and French terms for force; the French term is "forces" and the English term is "pressure." The English term will be amended to read "force." (sections 4 and 6)

#### **PROPOSED REGULATORY TEXT**

Notice is hereby given that the Governor in Council, pursuant to section 5 (see footnote a) of the Hazardous *Products Act*, proposes to make the annexed *Regulations Amending the Consumer Chemicals and Containers Regulations, 2001*.

Interested persons may make representations concerning the proposed Regulations within 75 days after the date of publication of this notice. All such representations must cite the *Canada Gazette*, Part I, and the date of publication of this notice and be addressed to James Hardy, Project Officer, Consumer Product Safety Bureau, Product Safety Programme, Healthy Environments and Consumer Safety Branch, Department of Health, MacDonald Building, Postal Locator: 3504D, 123 Slater Street, Ottawa, Ontario K1A OK9 (fax: 613-952-9138; e-mail: james\_hardy@hcsc.gc.ca).

Ottawa, January 31, 2008

MARY PICHETTE Assistant Clerk of the Privy Council

#### REGULATIONS AMENDING THE CONSUMER CHEMICALS AND CONTAINERS REGULATIONS, 2001

#### AMENDMENTS

product" in subsection 1(1) of the *Consumer Chemicals and Containers Regulations, 2001* (see footnote 1) is replaced by the following:

1. (1) The definition "chemical

#### the following

"chemical product" means a product used by a consumer that has the properties of one or more of the following:

- (*a*) a toxic product;
- (*b*) a corrosive product;
- (c) a flammable product; or
- (*d*) a quick skin-bonding adhesive.

It does not include any of the following:

(*e*) a product described in any of paragraphs (*a*) to (*d*) if it is not possible for a user to be exposed to the product or to any of its hazardous ingredients during reasonably foreseeable use;

(*f*) a portable petroleum container that conforms with CSA B306 or CSA B376;

(g) a lighter;

(*h*) a fire extinguisher that conforms with ULC-S503, ULC-S504, ULC-S507 or ULC-S512; or

(*i*) a container of fuel, such as

"chemical product" « *produit chimique* »

gasoline, ethanol or propane, if the container is permanently attached to an internal combustion engine, a gas turbine or an appliance that uses the fuel.

#### (2) Paragraph (*a*) of the definition "person responsible" in subsection 1(1) of the Regulations is replaced by the following:

(*a*) manufactured in Canada, the manufacturer who sells or advertises it; or

# (3) The portion of the definition "aire d'affichage principale" in subsection 1(1) of the French version of the Regulations before paragraph (a) is replaced by the following:

« aire d'affichage principale » La partie de l'aire d'affichage qui est exposée ou visible dans les conditions normales de vente aux consommateurs. La présente définition vise notamment :

(4) The portion of the definition "énoncé de premiers soins" in subsection 1(1) of the French version of the Regulations before paragraph (a) is replaced by the following:

« aire d'affichage principale » "*main display panel*" « énoncé de premiers « énoncé de premiers soins » Vise les renseignements suivants : *"first aid statement"*

## (5) The table to subsection1(2) of the Regulations isreplaced by the following:

	Column 1	Column 2	Column 3
Item*	Short form	Standard or test	Provision of Regulations
1. (1)	ASTM D 56	ASTM Standard D 56-05, entitled <i>Standard Test</i> <i>Method for Flash Point by</i> <i>Tag Closed Cup Tester</i> , approved May 1, 2005, published May 2005	
2. ( <i>2</i> )	ASTM D 93	ASTM Standard D 93- 02a, entitled <i>Standard</i> <i>Test Methods for Flash</i> <i>Point by Pensky-Martens</i> <i>Closed Cup Tester</i> , approved December 10, 2002, published March 2003	50( <i>b</i> )
3. ( <i>3</i> )	ASTM D 323	ASTM Standard D 323- 99a, entitled <i>Standard</i> <i>Test Method for Vapor</i> <i>Pressure of Petroleum</i> <i>Products (Reid Method)</i> , approved April 10, 1999	58(1)( <i>a</i> )

http://canadagazette.gc.ca/partl/2008/20080216/html/regle1-e.html (14 of 34) [15/04/2008 03:22:13 p.m.]

4. ( <i>4</i> )	ASTM D 1293	ASTM Standard D 1293- 99, entitled <i>Standard</i> <i>Test Methods for pH of</i> <i>Water</i> , approved December 10, 1999	44(1)
5. ( <i>5</i> )	ASTM D 3828	ASTM Standard D 3828- 05, entitled <i>Standard</i> <i>Test Methods for Flash</i> <i>Point by Small Scale</i> <i>Closed Cup Tester</i> , approved May 1, 2005, published May 2005	50( <i>a</i> )
6. ( <i>6</i> )	16 CFR 1700.20	U.S. Code of Federal Regulations, Title 16: Commercial Practices, section 1700.20, entitled "Testing procedure for special packaging", revised January 1, 2007	9( <i>b</i> )
7. ( <i>7</i> )	CSA B306	CSA Standard B306- M1977, entitled <i>Portable</i> <i>Fuel Tanks for Marine</i> <i>Use</i> , as amended April 1988	1(1) "chemical product"
8. ( <i>8</i> )	CSA B339	CAN/CSA Standard B339 02, entitled <i>Cylinders,</i> <i>Spheres, and Tubes for</i> <i>the Transportation of</i> <i>Dangerous Goods</i> , as amended February 2005	- 58(2)

9. ( <i>9</i> )	CSA B376	CSA Standard B376- M1980, entitled <i>Portable</i> <i>Containers for Gasoline</i> <i>and Other Petroleum</i> <i>Fuels</i> , published July 1980 (reaffirmed 1992)	1(1) "chemical product"
10. ( <i>10</i> )	CSA Z76.1	CSA Standard Z76.1-06, entitled <i>Reclosable child-</i> <i>resistant packages</i> , published March 2006 in the English version and July 2006 in the French version	9( <i>b</i> )
11. ( <i>12</i> )	Draize Test	Draize Test, described in Methods for the Study of Irritation and Toxicity of Substances Applied Topically to the Skin and Mucous Membranes, Volume 82, The Journal of Pharmacology and Experimental Therapeutics, 1944, pages 377 to 390	43(2)( <i>a</i> )
12. ( <i>13</i> )	ISO 8317	ISO Standard 8317, entitled <i>Child-resistant</i> packaging — Requirements and testing procedures for reclosable packages, Second edition, dated April 15, 2003	9( <i>b</i> )

13. ( <i>15</i> )	OECD No. 404	OECD Guideline for the Testing of Chemicals No. 404, entitled <i>Acute</i> <i>Dermal</i> <i>Irritation/Corrosion</i> , adopted April 24, 2002	43(2)( <i>b</i> )
14. ( <i>16</i> )	OECD No. 405	OECD Guideline for the Testing of Chemicals No. 405, entitled <i>Acute Eye</i> <i>Irritation/Corrosion</i> , adopted April 24, 2002	43(2)( <i>c</i> )
15. ( <i>17</i> )	OECD Principles of Good Laboratory Practice	Number 1 of the OECD Series on Principles of Good Laboratory Practice and Compliance Monitoring, ENV/MC/CHEM(98)17, dated January 21, 1998	1(1) "good scientific practices"; 44(2)( <i>a</i> )
16. ( <i>14</i> )	OECD Test Guidelines	·	1(1) "good scientific practices; 6(1)( <i>b</i> ) and ( <i>c</i> ); 35(1)( <i>a</i> ) and ( <i>b</i> )

17. ( <i>11</i> )	Test L.2	"Test L.2: Sustained combustibility test" set out in section 32.5.2 of the <i>Recommendations on</i> <i>the Transport of</i> <i>Dangerous Goods,</i> <i>Manual of Tests and</i> <i>Criteria,</i> Fourth Revised Edition, 2003, United Nations (UN)**	48(2)(b)
18. ( <i>18</i> )	ULC-S503	CAN/ULC-S503, Fourth Edition, entitled <i>Carbon-</i> <i>Dioxide Fire</i> <i>Extinguishers</i> , published February 28, 2005	1(1) "chemical product"
19. ( <i>19</i> )	ULC-S504	CAN/ULC-S504, Second Edition, entitled <i>Dry</i> <i>Chemical Fire</i> <i>Extinguishers</i> , published August 14, 2002	1(1) "chemical product"
20. ( <i>20</i> )	ULC-S507	CAN/ULC-S507, Fourth Edition, entitled <i>Water</i> <i>Fire Extinguishers</i> , published February 28, 2005	1(1) "chemical product"
21. ( <i>21</i> )	ULC-S512	CAN/ULC-S512-M87, entitled <i>Standard for</i> <i>Halogenated Agent Hand</i> <i>and Wheeled Fire</i> <i>Extinguishers</i> , as amended April 1999	1(1) "chemical product"

Legend:

**ASTM American Society for Testing and Materials** 

CSA Canadian Standards Association

ISO International Organization for Standardization

OECD Organization for Economic Cooperation and Development

ULC Underwriters' Laboratories of Canada

\* The numbers in parentheses that follow the item numbers indicate the corresponding item number in the French version of the table.

\*\* Test L.2 in the Fourth Revised Edition, published in 2003 and available in English only, is identical to Test L.2 in the Second Revised Edition, published in 1996.

(6) Item 11 of the table to subsection 1(4) of the Regulations is replaced by the following:

	Column 1	Column 2
Item	Symbol	Unit of measure
11.	mL/m <sup>3</sup>	millilitres per cubic metre
		2. Section 2 of the Regulations is replaced by the following:

Authorized advertising, sale**2.** Subject to section 3, the<br/>advertising, sale and

advertising, sale and importation of a chemical product or a container is permitted only if it meets the applicable requirements of these Regulations.

## 3. Subsection 3(3) of the Regulations is repealed.

4. The portion of section 14 of the French version of the Regulations before paragraph (*a*) is replaced by the following:

Exception — grand format
 14. Les exigences relatives aux contenants protègeenfants énoncées aux articles 9 à 13 ne s'appliquent pas aux contenants d'une capacité supérieure à 5 L, à l'exception des contenants de produits chimiques appartenant à l'une des catégories de danger ou souscatégories suivantes :

5. Section 15 of the Regulations is amended by adding the following after subsection (1):

#### Adaptation

(1.1) For the purpose of the application of paragraph
(1) (b), the requirements for the display of information on a container apply to the display of information on the container's package having regard to the size of the package.

# 6. Paragraph 17(*b*) of the Regulations is replaced by the following:

(*b*) clear and legible and remain so throughout the useful life of the chemical product, or in the case of a refillable container, throughout its useful life, under normal conditions of transportation, storage, sale and use.

#### 7. Paragraph 19(1)(b) of the English version of the Regulations is replaced by the following:

(*b*) as illustrated in Schedule 4, has a large "x-Height" relative to the ascender or descender of the type.

#### 8. Paragraph 24(1)(c) of the Regulations is replaced by the following:

(*c*) the negative and positive instructions; and

#### 9. (1) Subsection 34(1) of the Regulations is replaced by the following:

Subcategories — substance<br/>of special concern**34.** (1) A chemical product<br/>that contains a substance of<br/>special concern set out in<br/>column 1 of the table to this<br/>subsection in a concentration<br/>set out in column 2 must,<br/>when introduced through a<br/>route of exposure set out in<br/>column 3, be classified in the<br/>sub-category set out in<br/>column 4.

#### TABLE TO SUBSECTION 34(1)

#### SUB-CATEGORIES — SUBSTANCE OF SPECIAL CONCERN

Colum	n 1	Column 2	Column 3	Column
Substa	ance of	Concentration	Route of	Sub-
Item specia	ll concern*		exposure	category

1.	Carbon tetrachloride	Any concentration	Oral, inhalation or aspiration	U
2.	Diethylene glycol	5% or more	Oral	Harmful
3.	Ethyl acetate	5% or more	Oral	Harmful
4.	Ethylene glycol	( <i>a</i> ) 5% or more but less than 10%	Oral	Harmful
		( <i>b</i> ) 10% or more	Oral	Toxic
5.	Hydrocyanic acid or its salts	Any concentration	Oral, dermal or inhalation	Very Toxic
6.	Methyl alcohol	1% or more and a total quantity of 5 mL or more	Oral or inhalation	Toxic
7.	Nitrobenzene	5 mg/kg or more	Oral, dermal or inhalation	U U
8.	1,1,2,2- tetrachloroethane	e e	Oral, dermal or inhalation	U U
9.	1,2- dichloroethane	( <i>a</i> ) 5% or more but less than 10%		Harmful

		(b) 10% or more	Oral or inhalation	
10.	1,1,1- trichloroethane	5% or more	Oral or inhalation	

\* These substances are of special concern because standard animal tests may not reflect the actual hazard they pose to humans.

## (2) The table to subsection 34(4) of the Regulations is replaced by the following:

#### TABLE TO SUBSECTION 34(4)

#### SUB-CATEGORIES — INHALATION EXPOSURE

	Column 1	Column 2	Column 3
Item	State of the chemical product	4-hour LC <sub>50</sub>	Sub- category
1.	Gas	( <i>a</i> ) not more than 2 500 mL/m <sup>3</sup>	Very Toxic
		( <i>b</i> ) more than 2 500 mL/m <sup>3</sup> but not more than 5 000 mL/m <sup>3</sup>	Harmful
2.	Vapour	( <i>a</i> ) not more than 1 500 mL/m <sup>3</sup>	Very Toxic

3.

	( <i>b</i> ) more than 1 500 mL/m <sup>3</sup> but not more than 2 500 mL/m <sup>3</sup>	Toxic
	( <i>c</i> ) more than 2 500 mL/m <sup>3</sup> but not more than 10 000 mL/m <sup>3</sup>	Harmful
Dust, mist or fume	( <i>a</i> ) not more than 0.5 mg/L	Very Toxic
	( <i>b</i> ) more than 0.5 mg/L but not more than 2.5 mg/L	Toxic
	( <i>c</i> ) more than 2.5 mg/L but not more than 5.0 mg/L	Harmful

# 10. Subparagraph35(1)(b)(ii) of theRegulations is replaced by the following:

(ii) if the product is a mixture that does not separate, section 36,

#### 11. Section 38 of the Regulations and the heading before it are repealed.

#### 12. (1) Subsection 39(1) of the Regulations is replaced by the following:

Required information — sub-category "toxic"

**39.** (1) The container of a chemical product that is classified in the sub-category "toxic" under section 33 must display, for each type of information set out in column 1 of the table to this subsection, and for each applicable route of exposure set out in column 2, the information set out in column s 3 and 4, other than the instructions set out in italics.

(2) The portion of paragraph
7(b) of the table to
subsection 39(1) of the
Regulations in columns 3 and
4 is replaced by the following:

	Column 3	Column 4	
Item English information		French information	
7. (b)	When appropriate, [Insert instructions for administering first aid, e.g., Do not induce vomiting.].	When appropriate, [Insert instructions for administering first aid, e.g. Ne pas provoquer le vomissement.].	

### Required information — sub-category "harmful"

#### (3) Subsection 39(2) of the Regulations is replaced by the following:

(2) The container of a chemical product that is classified in the sub-category "harmful" under section 33 must display, for each type of information set out in column 1 of the table to this subsection, and for each applicable route of exposure set out in column 2, the information set out in columns 3 and 4, other than the instructions set out in italics.

(4) The portion of paragraph 7(*b*) of the table to subsection 39(2) of the Regulations in columns 3 and 4 is replaced by the following:

	Column 3	Column 4
Item English information		French information
7. (b)	When appropriate, [Insert instructions for administering first aid, e.g., Do not induce vomiting.].	When appropriate, [Insert instructions for administering first aid, e.g., Ne pas provoquer le vomissement.].

## (5) Subsection 39(3) of the Regulations is repealed.

#### 13. The portion of paragraph 41(1)(*e*) of the English version of the Regulations before subparagraph (i) is replaced by the following:

(*e*) subsection 42(5), in the case of a corrosive product that contains a substance, other than an acid or a base, that is capable, when tested using the appropriate test methods set out in subsection 43(2), of causing any of the following at the site of application:

## 14. Section 45 of the Regulations is replaced by the following:

Authorization **45.** The advertising, sale and importation of a corrosive product that is classified in the sub-category "very corrosive" under section 41 are authorized if the product is set out in column 1 of the table to this section and meets the conditions set out in column 2.

> 15. (1) The portion of paragraph 4(c) of the table to subsection 46(1) of the Regulations in columns 3 and 4 is replaced by the following:

#### Column 3

Column 4

#### Item English information French information

# 4.When appropriate:When appropriate:DÉGAGE(c)DANGEROUS FUMES<br/>FORM WHEN MIXED<br/>WITH OTHER<br/>PRODUCTSDES ÉMANATIONS<br/>DANGEREUSES LORSQUE<br/>MÉLANGÉ AVEC D'AUTRES<br/>PRODUITS

(2) The portion of paragraph 4(*b*) of the table to subsection 46(2) of the Regulations in columns 3 and 4 is replaced by the following:

	Column 3	Column 4
Item English information		French information
4.	When appropriate:	When appropriate: DÉGAGE
<b>(b)</b>	DANGEROUS FUMES FORM WHEN MIXED	DES ÉMANATIONS DANGEREUSES LORSQUE
	WITH OTHER PRODUCTS	MÉLANGÉ AVEC D'AUTRES PRODUITS

(3) The portion of paragraph 3(c) of the table to subsection 46(3) of the Regulations in columns 3 and 4 is replaced by the following:

Column 3Column 4Item English informationFrench information

# *When appropriate*: DANGEROUS FUMES FORM WHEN MIXED WITH OTHER PRODUCTS

When appropriate: DÉGAGE DES ÉMANATIONS DANGEREUSES LORSQUE MÉLANGÉ AVEC D'AUTRES PRODUITS

## **16. Section 53 of the Regulations is replaced by the following:**

Authorization **53.** The advertising, sale and importation of a flammable product that is classified in the sub-category "very flammable" under section 48 are authorized if the product is set out in column 1 of the table to this section and meets the conditions set out in column 2.

#### **TABLE TO SECTION 53**

#### CONDITIONS FOR ADVERTISING, SELLING AND IMPORTING A VERY FLAMMABLE PRODUCT

Column 1	Column 2
Item Chemical Product	Conditions
1. A fuel	The container of the fuel is separate or detachable from the internal combustion engine, gas turbine or appliance that uses the fuel, and displays the information set out in the table to subsection 54(1).

2. A product that The container of the product displays the information set other than one that is out in the table to subsection 54(1).

(*a*) a liquid that is classified in the subcategory "very flammable"; or

(*b*) described in paragraph 7(a) of the table to subsection 49(1).

17. Section 60 of the Regulations and the heading before it are repealed.

## 18. (1) Clause 2(*a*)(iv)(A) of Schedule 1 to the Regulations is replaced by the following:

(A) has an internal open space of 35 cm wide by 45 cm high,

## (2) Paragraph 2(b) of Schedule 1 to the English version of the Regulations is replaced by the following:

(*b*) a cylinder of chemically pure grade propane fitted with a regulator capable of delivering pressure to the burner appropriate to maintaining a flame height of 5 cm; and

## **19. Section 3 of Schedule 1 to the Regulations is replaced by the following:**

**3.** (1) When there are instructions by the manufacturer respecting the shaking of the spray container, a test must be conducted as follows, using each of three spray containers of the same product and of the same size:

(*a*) if shaking is applicable, shake and discharge the container three times in the manner described in paragraph 4(9)(a); or

(b) if shaking is not applicable, discharge the container three times in the manner described in paragraph 4(9)(b).

(2) When there are no instructions by the manufacturer respecting the shaking of the spray container, a test must be conducted as follows, using each of three spray containers of the same product and of the same size:

(a) without shaking the container, discharge it three times in the manner described in paragraph 4(9)(b); and

(b) shake and discharge the container a further three times in the manner described in paragraph 4(9)(a).

#### 20. (1) The portion of subparagraph 4(3)(b)(ii) of Schedule 1 to the English version of the Regulations before clause (A) is replaced by the following:

(ii) in the case of a pump-spray container, activating the trigger or pump using each of 18 N, 36 N and 54 N of force for each possible nozzle position until

## (2) Subsection 4(5) of Schedule 1 to the Regulations is replaced by the following:

(5) Adjust the burner to give a flame height of 5 cm and release a single trial discharge from the spray container.

(3) Paragraph 4(9)(*a*) of Schedule 1 to the Regulations is amended by adding the word "and" at the end of subparagraph (ii) and by replacing subparagraphs (iii) and (iv) with the following:

(iii) 15 seconds after the cessation of shaking, release the discharge in accordance with subsection (10); or

## (4) Paragraph 4(10)(b) of Schedule 1 to the Regulations is replaced by the following:

(*b*) in the case of a pump-spray container, for three sprays or until the cheesecloth ignites.

# (5) Subsection 4(11) of Schedule 1 to the English version of the Regulations is replaced by the following:

(11) In the case of a pump-spray container, repeat the procedure set out in paragraph (10)(b) for each of 18 N, 36 N and 54 N of force for each possible nozzle position.

# 21. (1) The portion of section 6 of Schedule 1 to the Regulations before paragraph (*a*) is replaced by the following:

**6.** The following test results must be recorded and kept for a period of at least three years after the testing is carried out:

# (2) Subparagraph 6(*a*)(ii) of Schedule 1 to the English version of the Regulations is replaced by the following:

(ii) in the case of a pump-spray container, for each discharge at each nozzle position and each force applied;

## 22. Paragraph 4(*a*) of Schedule 3 to the French version of the Regulations is replaced by the following:

*a*) au-dessus d'un papier buvard propre ou de tout autre papier qui se tache au contact d'un liquide;

#### **COMING INTO FORCE**

### 23. These Regulations come into force on the day on which they are registered.

[7-1-o]

<u>Footnote a</u> S.C. 2004, c. 9, s. 2

Footnote 1 SOR/2001-269

#### **NOTICE:**

The format of the electronic version of this issue of the *Canada Gazette* was modified in order to be compatible with hypertext language (HTML). Its content is very similar except for the footnotes, the symbols and the tables.

Top of page

**Important notices** 

Updated: 2008-02-15